

CI/EIFS/Hard Coat

Section: 07240

Low Profile, Recessed Electrical Box



PCDBVME1W
with fixed flange

Product Number	Dimensions/Description	Flange Style	Cover Color	Pcs Per Box
PCDBVME1C	IN BOX™ Electrical box for 1-1/2" (38 mm) EIFS and DEFS foam wall systems.	Fixed	Clear	4
PCDBVME1W		Fixed	White	4
PCDBVMA1C	For EIFS and DEFS foam wall systems up to 2" (51 mm) thick.	Adjustable	Clear	4
PCDBVMA1W		Adjustable	White	4

Patent pending - Arlington Industries, Inc.


Arlington Industries' IN BOX for EIFS and DEFS is now available from Plastic Components! These one-piece electrical boxes save labor time, and because IN BOX installs in the wall, you'll get a great-looking job too. The cover protrudes from the wall just enough to provide a neat, clean appearance.

PCDBVMA1W
with adjustable flange

Flange in position for thin foam or finish thickness



Flange opened for thicker foam board or finish



The **fixed-flashing style** IN BOX offers superior moisture control in 1-1/2" foam wall systems. It has a large, built-in flange that eliminates the need for a separate flashing.



For foam board up to 2" thick



For 1-1/2" thick foam board



The **adjustable flange style** adjusts to fit any foam board thickness or custom finish in concrete block and stucco applications.

For finishes 1/4" to 2-1/2" thick on walls 2-3/4" to 5" deep.

Application:

Offers aesthetic value as a low profile, non-metallic electrical box that installs IN the wall. The cover protrudes approximately 3/4" from the surface of the wall, depending on the thickness of the stucco finish.

Specification:

Non-metallic electrical box will be Plastic Components, Inc. IN BOX # _____. Made of UV rated, PVC material. UL and CSA Listed.



Shipped-in-place disposable mud cover

- Paintable white or clear cover
- UL/CSA Listed weatherproof while in use
- Meets NEC 2014 (National Electric Code)



800.327.7077 ■ Fax 305.887.2452
www.plasticcomponents.com