



NOW
**MEETS
 ASTM**

C1764 • C1780

C1784 • C1787

Plastic Components' **Ultra-Lath Plus[®]** plastic lath is the labor-saving, non-rusting alternative to metal laths. **It MEETS ASTM and comes backed with asphalt-impregnated paper for superior moisture control.**

Safe and easy to use, and unaffected by salt, moisture and chemicals, heavy-duty Ultra-Lath Plus is self-furred for improved keying, and compatible with all cement-based products. The paper-backed option combines paper and lath applications into one process, saving even more time.

Available Sizes

Paper-backed Ultra-Lath Plus:



27" x 96" sheets

Ultra-Lath Plus:

- 27" x 96" sheets
- 27" x 75' rolls

Strip-Lath[®] strips:

- 96" long x 3", 4", 6" or 8" widths


Strip-Lath reinforces stress points at window/door openings, and provides a bridge between dissimilar materials.

Uses

Ultra-Lath Plus meets ASTM C17674, C1780, C1784 and C1787. Uses include three-coat stucco and stone veneer system applications.

- **1/4" self-furred** for improved keying of stucco to substrate
- Lower installed cost
- Light weight
- Cuts with a utility knife
- Easy to handle
- Easy to shape, won't crimp or kink
- Non-dimensional
- Long, outdoor life – unaffected by sand and chemicals in cementitious wall coatings

Note: Not for use on soffits or open framing.



For best results use Plastic Components' PVC trims with all Ultra-Lath Plus[®] applications. Patent pending

