


# Great Product Solutions...

For Stucco/Plaster, Drywall, Stone Veneer, EIFS, DEFS, Lumber/Building Material Suppliers



Since 1969

**PLASTIC PC**  
**COMPONENTS** inc.




800.327.7077

[www.plasticcomponents.com](http://www.plasticcomponents.com)

# PVC Trims for LBM...

## Trims for Fiber Cement Board



### Fiber Cement Board Trims

Rust free, these trims offer superior moisture management, and protection for the edges of fiber cement board.


Catalog #	Description	Pcs/box
2223	Inside/outside corner 1-1/2" x 1-1/2" (38 mm x 38 mm)	50
2232-50	'H' trim for 1/2" (13 mm) cement board systems	50
2232-516	'H' trim for 5/16" (8 mm) cement board systems	50
3550WP	Weeped casing bead w/ 2" back flange for 1/2" (13 mm) board	40
3550-516WP	Weeped casing bead w/ 2" back flange for 5/16" (8 mm) board	40
CB1050-WP	Weeped Starter Trac for 1/2" (13 mm) cement board systems	50
CB1050-516WP	Weeped Starter Trac for 5/16" (8 mm) cement board systems	50
2232-50	'Z' Flashing for 1/2" (13 mm) cement board systems	50
PCZ50	'Z' Flashing for 5/16" (8 mm) cement board systems	50



Easy to handle and install –  
*your customers will look great with a rustproof job that saves time and money.*



Trims for fiber cement board



### Reveals for Fiber Cement Board Trims

These white or gray reveals add an aesthetic complement to our fiber cement board trims. *Add suffix G to order in gray*

Catalog #	Reveal size	Board Size	Pcs/box
707-516FCT	1/2" (13 mm)	5/16" (8 mm) cement board	35
707-50FCT	1/2" (13 mm)	1/2" (13 mm) cement board	35
708-516FCT	3/4" (19 mm)	5/16" (8 mm) cement board	35
708-50FCT	3/4" (19 mm)	1/2" (13 mm) cement board	35
709-516FCT	1" (25 mm)	5/16" (8 mm) cement board	35
709-50FCT	1" (25 mm)	1/2" (13 mm) cement board	20
711-516FCT	2" (51 mm)	5/16" (8 mm) cement board	35
711-50FCT	2" (51 mm)	1/2" (13 mm) cement board	20



GutterGuard Pro™ gutter protection...see page 8





Ultra Drain Mat™ Drainage mat, ventilation system



Plastic Components offers a variety of PVC trims and products of special interest to the lumber and building material supplier.

### Colored Trims for Stone Veneer



**Both DRIP EDGES available in Dark Brown**

### Foundation Weep Screeds

with 3-1/2" (89 mm) flange.

Catalog #	Ground	Color	Pcs/box
632-50	1/2" (13 mm)		35
632-58	5/8" (16 mm)		35
632-75	3/4" (19 mm)	White	35
632-78	7/8" (22 mm)		30
632-100	1" (25 mm)		25
<hr/>			
632-50TAN	1/2" (13 mm)		35
632-58TAN	5/8" (16 mm)		35
632-75TAN	3/4" (19 mm)	Tan	35
632-78TAN	7/8" (22 mm)		30
632-100TAN	1" (25 mm)		25
<hr/>			
632-50GRAY	1/2" (13 mm)		35
632-58GRAY	5/8" (16 mm)		35
632-75GRAY	3/4" (19 mm)	Gray	35
632-78GRAY	7/8" (22 mm)		30
632-100GRAY	1" (25 mm)		25
<hr/>			
632-50DB	1/2" (13 mm)		35
632-58DB	5/8" (16 mm)	Dark	35
632-75DB	3/4" (19 mm)	Brown	35
632-78DB	7/8" (22 mm)		30
632-100DB	1" (25 mm)		25

### Drip Edge

with 2" (51 mm) back flange.

Catalog #	Front Flange	Color	Pcs/box
SB-50	1/2" (13 mm)		100
SB-58	5/8" (16 mm)		100
SB-75	3/4" (19 mm)	White	100
SB-1	1" (25 mm)		75
SB-15	1-1/2" (38 mm)		60
<hr/>			
SB-50TAN	1/2" (13 mm)		100
SB-58TAN	5/8" (16 mm)		100
SB-75TAN	3/4" (19 mm)	Tan	100
SB-1TAN	1" (25 mm)		75
SB-15TAN	1-1/2" (38 mm)		60
<hr/>			
SB-50GRAY	1/2" (13 mm)		100
SB-58GRAY	5/8" (16 mm)		100
SB-75GRAY	3/4" (19 mm)	Gray	100
SB-1GRAY	1" (25 mm)		75
SB-15GRAY	1-1/2" (38 mm)		60

### Drip Edge



with 3" (76 mm) back flange.

Catalog #	Front Flange	Color	Pcs/box
SB-EMT75	3/4" (19 mm)		100
SB-EMT1	1" (25 mm)	White	75
SB-EMT15	1-1/2" (38 mm)		60
<hr/>			
SB-EMT75TAN	3/4" (19 mm)		100
SB-EMT1TAN	1" (25 mm)	Tan	75
SB-EMT15TAN	1-1/2" (38 mm)		60
<hr/>			
SB-EMT75GRAY	3/4" (19 mm)		100
SB-EMT1GRAY	1" (25 mm)	Gray	75
SB-EMT15GRAY	1-1/2" (38 mm)		60



### Over Window/Door Drip Edges

Our drip edges are the PVC trims to choose for extreme moisture conditions. Designed for use over window or door openings, their sloped front edges move moisture out and away from the wall assembly.




### Ultra Drain Mat™

Fabric backed drainage mat and ventilation system. Durable 2-ply polymer.

Catalog #	Thickness	Roll size	Rolls/pallet
UDM-25	.25" (6 mm)	39' x 61.5'	18

# For Lumber, Building Mater


## Drip Edges/End Caps



### Window/Door Arch Drip Edge

**WDA series** Head flashing for doors and windows with 3-1/2" (89 mm) back flange.

Catalog #	Bottom Flange	Pcs/box
WDA-75	3/4" (19 mm)	30
WDA-1	1" (25 mm)	30
WDA-1125	1-1/8" (29 mm)	30
WDA-15	1-1/2" (38 mm)	30




### End Caps for WDA Drip Edges

Complements our window/door drip edge. 3" back flange. Bottom flange varies.

Catalog #	Bottom Flange	Sets/box
WDEC3-1	1" (25 mm)	25
WDEC3-15	1-1/2" (38 mm)	25
WDEC3-2	2" (51 mm)	25


## Flashing



### Roof Rake Drip Edge Flashing

Protects roof eave from water intrusion. Works as a termite shield. For variable pitch, uneven or contoured roof lines.


Catalog #	Fascia Flange	Pcs/box
SBRF-75	3/4" (19 mm)	100
SBRF-1	1" (25 mm)	75
SBRF-15	1-1/2" (38 mm)	60
SBRF-2	2" (51 mm)	50



### Window/Door Drip Edge

Door or window drip edge for 3/16" (5 mm) finishes.

Catalog #	Bottom Flange	Pcs/box
SB-75	3/4" (19 mm)	100
SB-1	1" (25 mm)	75
SB-15	1-1/2" (38 mm)	60



### End Caps for SB Drip Edges

Complements our window/door drip edge. 2" back flange. Bottom flange varies.


Catalog #	Bottom Flange	Sets/box
WDEC2-1	1" (25 mm)	25
WDEC2-15	1-1/2" (38 mm)	25
WDEC2-2	2" (51 mm)	25



### Heavy Duty Deck Flashing

3-1/2" back flange, 1-1/2" horizontal flange, and 1/2" (13 mm) lip.

Catalog #	Color	Pcs/box
SBZ-150DF	White	30
SBZ-150DFGR	Gray	30
SBZ-150DFT	Tan	30



### Z Trim

5/8" (16 mm) molding for T1-11 siding.

Catalog #	Color	Pcs/box
PCZ58	White	50
PCZ58DB	Dark Brown	50
PCZ58GRAY	Gray	50
PCZ58T	Tan	50



### Z Flashing for Floor Line 1/2" (13 mm)


drip edge with 3" (76 mm) back flange.

Catalog #	Board Dimension	Pcs/box
SBZ-50	for 1/2" (13 mm) board	30
SBZ-58	for 5/8" (16 mm) board	30
SBZ-75	for 3/4" (19 mm) board	30
SBZ-78	for 7/8" (22 mm) board	30

# Special Retailers

Since 1969  
**PLASTIC PC**  
**COMPONENTS inc.**

## Vents



10 ft (3 m) lengths

### Continuous Soffit Vents

3/8" reveal with multiple vent options.

Catalog #	Vent area	Pcs/box
300	2-5/8" (67 mm)	50
301	1-3/4" (44 mm)	50
3300	3" (76 mm)	35
4300	4" (102 mm)	35
6300	6" (152 mm)	30



### Round Mini Louver Vents

White


Catalog #	Diameter	Pcs/box
PC-MLV2	2" (51 mm)	100
PC-MLV3	3" (76 mm)	100
PC-MLV4	4" (102 mm)	50



### Foundation Vent for Siding

White, 32 sq. in. air flow per lineal foot.

Catalog #	Dimension	Pcs/box
PC401	16-1/2" (42 cm) x 9-1/4" (23.5 cm)	12



10 ft (3 m) lengths

### Sill Wedge

Water management product designed to provide positive slope at window sill. Window frame sits on sloped sill wedge and directs moisture towards the face of the moisture barrier where it drains out the bottom of the system.

Catalog #	Width	Pcs/box
SW-3-78	3" (76 mm)	30
SW-5-78	5" (127mm)	30



**EXTRA-DUTY  
 CLEAR OR WHITE  
 COVERS**

### IN BOX™ Low Profile, Recessed Electrical Box

for vertical installations on new siding. One-piece, weatherproof in use. Installs in the wall for good looks and time-savings. Cover protrudes just 1/8" from wall.

Catalog #	Cover Color	Pcs/box
PCDBVS1C	Clear	4
PCDBVS1W	White	4




**Plastic Components manufactures a variety of PVC trims and products of special interest to the lumber and building material supplier. Visit our website to see our entire line...**

[www.plasticcomponents.com](http://www.plasticcomponents.com)



Since 1969, Plastic Components has manufactured plastic trims and accessories that meet the requirements of the construction industry. We are the originators of many innovative trims – corner beads, control joints, vents, slip joints, reveals, and more – for exterior insulated finish systems (EIFS), direct applied (DEFS), stucco and drywall. Visit our website [www.plasticcomponents.com](http://www.plasticcomponents.com) to see our complete product line.

# PVC Trims for Drywall...




10 ft (3 m) lengths

## “J” Bead

Drywall “J” Bead with tapered face return. Back flange: 1” (25 mm) Front return: 1/2” (13 mm)

Catalog #	Board Thickness	Pcs/box
200X-25	1/4" (6 mm)	75
200X-38	3/8" (10mm)	50
200X-50	1/2" (13 mm)	50
200X-58	5/8" (16 mm)	50
200X-75	3/4" (19 mm)	50




10 ft (3 m) lengths

## Fillable “J” Bead

Fillable “J” Bead with 1-1/16” (27 mm) perforated flange.

Catalog #	Board Thickness	Pcs/box
201-50	1/2" (13 mm)	50
201-58	5/8" (16 mm)	50
201-78	7/8" (22 mm)	50




10 ft (3 m) lengths

## Fillable “L” Bead

Fillable “L” Bead with 1-1/16” (27 mm) perforated flange.

Catalog #	Board Thickness	Pcs/box
221-50	1/2" (13 mm)	50
221-58	5/8" (16 mm)	50




10 ft (3 m) lengths

## Shadow Mold/“Z” Mold

Usable with 1/2" or 5/8" sheathing.

Catalog #	Reveal Width	Pcs/box
202	1/2" (13 mm)	50
203	3/4" (19 mm)	50
204	1" (25 mm)	50




10 ft (3 m) lengths

## Trim Tab

1-1/16” (27 mm) perforated flange.

Catalog #	Board Thickness	Pcs/box
224	1/2" (13 cm)	50
224-58	5/8" (16 mm)	50




10 ft (3 m) lengths

## Reverse “L” Bead

Fillable mudding flange with extra-wide return flange. Eliminates taping where vertical and horizontal planes meet.

Catalog #	Pcs/box
210	50



10 ft (3 m) lengths

## Half Round 3/4" Bullnose

Catalog #	Bullnose Description	Pcs/box
207	3/4" (19 mm)	50
207-58	3/4" (19 mm)	50




8 & 10 ft (2.5 & 3 m) lengths

## Bullnose Corner Bead

with 3/4" (19 mm) radius

Catalog #	Flange Dimension	Pcs/box
208	5/8" (16 mm)	50
208H	1" (25 mm)	50
208HI	1" (25 mm) offset flange	50



8 & 10 ft (2.5 & 3 m) lengths


## Bullnose Arch

with one slotted leg

Catalog #	Flange Dimension	Pcs/box
208A	5/8" (16 mm)	50
208HA	1" (25 mm)	50
208HIA	1" (25 mm) offset flange	50

Our PVC drywall trims combat rust and protect interior corners and edges from damage. Better than metal – these high-impact resistant PVC trims eliminate static electricity and rust. They also deliver straight, clean corners and a non-rusting paintable surface.


Since 1969  
**PLASTIC PC**  
**COMPONENTS** inc.



8 & 10 ft (2.5 & 3 m) lengths

**Bullnose Inside Corner Bead**


Catalog #	Pcs/box
208-IC	50



8 & 10 ft (2.5 & 3 m) lengths

**Splayed Bullnose Corner Bead**


Catalog #	Description	Pcs/box
208-135	135° outside corner bead	50



8 & 10 ft (2.5 & 3 m) lengths

**Corner Bead** for drywall


Catalog #	Flange Dimension	Pcs/box
209	1-1/4 x 1-1/4 (32mm x 32 mm)	100
209-XL	1-5/8 x 1-5/8 (41mm x 41 mm)	100



8 & 10 ft (2.5 & 3 m) lengths

**Arch Corner Bead** for drywall with one slotted flange


Catalog #	Flange Dimension	Pcs/box
209-A	1-1/4 x 1-1/4 (32mm x 32 mm)	100



8 & 10 ft (2.5 & 3 m) lengths

**90° Inside Corner Bead**


Catalog #	Flange Dimension	Pcs/box
209-IC	1-1/4 x 1-1/4 (32mm x 32 mm)	100



8 & 10 ft (2.5 & 3 m) lengths

**Splayed Corner Bead**


Catalog #	Description	Pcs/box
209-135	135° outside corner bead	100



10 ft (3 m) lengths

**Aesthetic Drywall Reveal**  
 For 1/2" (13 mm) or 5/8" (16 mm) drywall. Other reveal widths and 'F' series also available. Contact us...


Catalog #	Reveal Width	Pcs/box
225	1/2" (13 mm)	30
226	1" (25 mm)	35
227	3/4" (25 mm)	35



10 ft (3 m) lengths

**Control Joint** with inverted "V" expansion joint. 1/16" (2 mm) finish with removable tape.

Catalog #	"V" Dimension	Pcs/box
PL093	1/2" (13 mm)	60
PL093-75	3/4" (19 mm) wide "V"	30




10 ft (3 m) lengths

**Sheathing Slip Joint**

For any sheathing material. Opens from 1-1/4" to 1-3/4" (32 mm to 44 mm).

Catalog #	Board Thickness	Pcs/box
DW500-50	1/2" (13 mm)	15
DW500-58	5/8" (16 mm)	15



10 ft (3 m) lengths

**Control Joint**


Surface mount with removable tape.

Catalog #	Pcs/box
2027-16	60



# Great Product Solutions

## GutterGuard™ Pro Snap-on Protection for Gutters



### GutterGuard<sup>PRO</sup>

Plastic Components' heavy-duty gutter protection system keeps gutters free of debris - and offers EASY, SNAP-ON INSTALLATION. NO TOOLS!

No leaf buildup...Prevents "tiger striping" • Fits 5" gutters • Class A Fire Rating

### Gutter Protection System

Catalog #	Size	Color	Pcs/box
GGP5000	5" (127 mm)	White	13
GGP5000T	5" (127 mm)	Tan	13
GGP5000DB	5" (127 mm)	Dark Brown	13
GGP5000G	5" (127 mm)	Gray	13



**Snaps into place.** Unaffected by  
**NO FASTENERS!** cold or heat



in **FOUR** colors!



## Retail Marketing Program

**Gutter Clutter Gone!™**

**NEW!**  
Easy to Handle,  
Convenient  
Packaging



from your friends at

Since 1969

**PLASTIC PC**  
**COMPONENTS** inc.

800.327.7077



pc\_sales@plasticcomponents.com  
www.plasticcomponents.com

