








Made in the USA

Since 1969

PLASTIC PCTM
COMPONENTS inc.

LinkedIn
follow us

PVC ACCESSORIES



for Drywall

Plastic Components

Florida-based **Plastic Components** is the originator and designer of many innovative trims, and since 1969, has manufactured quality plastic trims and accessories for the construction industry that solve problems created by standard metal.



Our nearly 700 line items include corner beads, control joints, vents, slip joints, reveals, and more for continuous insulation and exterior insulated finish systems (CI/EIFS), direct applied (DEFS), stucco, stone veneer and **drywall**.

From freezing cold to extreme heat, Plastic Components' PVC products deliver optimal results – good looks, easy handling, moisture management, reduced labor costs and superior field performance.



Our trims are tested and listed with Intertek Testing Services/Warnock Hersey to meet or exceed the strict standards set by ASTM.

PVC Trims for Drywall provide an excellent alternative to metal products. The unique punch hole pattern and striations on our trims allow for positive bonding of drywall mud and other finishes.

PLASTIC PCTM
COMPONENTS inc.




Our PVC accessories for interior drywall and veneer finishes protect corners and edges from damage. Manufactured from high-impact resistant, lead-free PVC, they meet ASTM standard D4216 and comply with Canadian Codes.

These rustproof trims resist damage and static electricity, and eliminate electrolysis.

Plastic Components also manufactures **The RADII Trim System**.

It's the simple, efficient way to finish a suspended ceiling terminating at a curved wall or surface.

Perfect for outside and *inside* radius treatments including compound or S-shapes, they eliminate expensive extruded metal column rings, radius reveal moldings and wall angles.



The RADII Trim System – Minimum Radius

PRODUCT NUMBER	INSIDE RADIUS	OUTSIDE RADIUS	LINEAR LENGTH (lf) (lm)	PIECES /TUBE
PC800-1C	15" (38 cm)	15" (38 cm)	200 lf • 79 lm	25
PC800-2C	24" (61 cm)	24" (61 cm)	200 lf • 79 lm	25
PC800-3	30" (76 cm)	30" (76 cm)	200 lf • 79 lm	25
PC800-4	54" (137 cm)	54" (137 cm)	160 lf • 63 lm	20
PC800-6	30" (76 cm)	30" (76 cm)	200 lf • 79 lm	25

8' (2.43 m) Lengths



ASTM
D1929,
D2863,
EI 62

You've Got Curves... We Have the Angle!

Contact us at **800-327-7077** or plasticcomponents.com for assistance.

Manufacturers of PVC Accessories for Stucco/Plaster, CI/EIFS, DEFS & Drywall








Corner Beads · Bullnose Corner Beads

Paintable · 10 ft (3 m) Lengths · Non-Rusting



Plastic Components' heavy duty PVC Corner Beads deliver superior protection for corners and edges in interior applications

- Rust free, high impact-resistant alternative to metal corner beads
- 8' and 10' (2.5 and 3 m) Lengths
- Meets ASTM standards D4216, D3678, C1047



Corner Beads with striations on exposed flanges

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
Drywall Corner Beads		
209	1-1/4" x 1-1/4" (32 mm x 32 mm) flange	100
209-XL	1-5/8" x 1-5/8" (41 mm x 41 mm) flange	100
Arch Corner Bead		
209A	1-1/4" x 1-1/4" (32 mm x 32 mm) flange One flange slotted	100
90° Inside Corner Bead		
209-IC	1-1/4" x 1-1/4" (32 mm x 32 mm) flange	100
135° Outside Corner Bead		
209-135	1-1/4" x 1-1/4" (32 mm x 32 mm) flange	100

8' & 10' (2.5 & 3 m) Lengths



Bullnose Corner Beads

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
Bullnose Corner Bead with 3/4" Radius		
208	5/8" (16 mm) flange	50
208H	1" (25 mm) flange	50
208HI	1" (25 mm) with offset flange	50
Bullnose Arch with One Slotted Leg		
208A	5/8" (16 mm) flange	50
208HA	1" (25 mm) flange	50
208HIA	1" (25 mm) with offset flange	50
Bullnose Inside Corner Bead		
208-IC	1-1/16" (27 mm) flange	50
135° Splayed Bullnose Corner Bead		
208-135	7/8" (22 mm) flange	50
Half Round 3/4" (19 mm) Bullnose		
207	for 1/2" (13 mm) Board Thickness	50
207-58	for 5/8" (16 mm) Board Thickness	50

8' & 10' (2.5 & 3 m) Lengths

9051 NW 97 Terrace · Miami, Florida 33178 · 305/885-0561 · 800/327-7077 · FAX 305/887-2452

www.plasticcomponents.com · orders@plasticcomponents.com


Rustfree Beads · Trim Tab · Shadow Mold

Paintable · 10 ft (3 m) Lengths



Our J and L Beads, Trim Tab and Shadow Mold finish the raw edges of drywall where it meets dissimilar materials – and around window and door openings.



- Creates a barrier between mud and openings - Delivers a better finish
- 10' (3 m) Lengths (J Bead in 8' & 10' Lengths)
- Meets ASTM standards D4216, D3678, C1047




Shadow/
Z Mold




Trim Tab



J Bead



Fillable
J Bead



Fillable
L Bead



Reverse
L Bead

Shadow Mold/Z Mold

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	DIM A	DIM B	PIECES /BOX
202-25	Shadow Mold/	1/4" (6 mm)	1/2"	50
202	Z Mold	1/2" (13 mm)	(13 mm)	50
203	for drywall	3/4" (19 mm)	or more	50
204	applications	1" (25 mm)		50

10' (3 m) Lengths

Trim Tab with flexible, tear-off tab

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	BOARD THICKNESS	PIECES /BOX
224	Trim Tab with 1-1/16" (27 mm)	1/2" (13 mm)	50
224-58	(27 mm) perforated flange	5/8" (16 mm)	50

10' (3 m) Lengths

J and L Beads

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	BOARD THICKNESS	PIECES /BOX
200X-25	Drywall J Bead	1/4" (6 mm)	75
200X-38	with 1/2" (13 mm)	3/8" (10 mm)	50
200X-50	tapered face return and	1/2" (13 mm)	50
200X-58	1" (25 mm) back flange	5/8" (16 mm)	50
200X-75	8' & 10' (2.5 & 3 m) Lengths	3/4" (19 mm)	50
201-50	Fillable J Bead	1/2" (13 mm)	50
201-58	1-1/16" (27 mm)	5/8" (16 mm)	50
201-78	perforated flange	7/8" (22 mm)	50
221-50	Fillable L Bead	1/2" (13 mm)	50
221-58	1-1/16" (27 mm)	5/8" (16 mm)	50
210	Reverse L Bead Perfect for remodeling! Fillable mudding flange with extra wide return flange – Eliminates taping where vertical and horizontal planes meet		40

10' (3 m) Lengths


PLASTIC PCTM
COMPONENTS inc.

Manufacturers of PVC Accessories for Stucco/Plaster, CI/EIFS, DEFS & Drywall




Non-Rusting · Paintable Control Joints

for 1/2" (13 mm) or 5/8" (16 mm) Sheathing Board



Use our Control Joints to allow for stress relief and movement in Drywall Applications


- Reduces hairline cracks
- 10' (3 m) Lengths
- Meets ASTM standards D4216, D3678, C1047



Surface Mounted Control Joints with Removable Tape

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
PL093	1/2" (13 mm) wide V Control Joint 1/16" (2 mm) finish top w removable tape V Depth: 3/8" (10 mm)	60
PL093-75	3/4" (19 mm) wide V Control Joint 1/16" (2 mm) finish top w removable tape V Depth: 3/8" (10 mm)	60
2027-16	1/2" wide (13 mm) V Control Joint V Depth: 1/2" (13 mm) 1/16" (2 mm) finish top w removable tape	60

Control Joints for 1/2" or 5/8" (13 or 16 mm) board
10' (3 m) Lengths



Sheathing Slip Joints for any sheathing product

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	BOARD THICKNESS	PIECES /BOX
DW500-50	These Slip Joints open from 1-1/4" to 1-3/4"	1/2" (13 mm)	15
DW500-58	(32 mm to 44 mm)	5/8" (16 mm)	15

10' (3 m) Lengths

Inside Corner

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
230-50	Used in lamination of vinyl wall covering to form a finished Inside corner	50

Universal Flexible PVC Strip

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
233	May be laminated with vinyl wall covering and used in an inside or outside corner	50

10' (3 m) Lengths

F Molding for drywall or acoustical applications

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	DIM A	DIM B	PIECES /BOX
250-50	Can be	1-1/16" (27 mm)	1/2" (13 mm)	50
250-58	laminated for	1-3/16" (30 mm)	1/2" (13 mm)	50
251-50	vinyl wall covering projects	1" (25 mm)	1" (25 mm)	50
		DIM C on all: 1-1/2" (38 mm)		

10' (3 m) Lengths

T Molding · H Molding

PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	BOARD THICKNESS	PIECES /BOX
231	T Molding Can be used anywhere a trim piece is needed to finish two adjoining surfaces		100
232-50	H Molding May be laminated with vinyl wall covering and used for connecting pre-finished panels	1/2" (13 mm)	50
232-58		5/8" (16 mm)	50

10' (3 m) Lengths

9051 NW 97 Terrace · Miami, Florida 33178 · 305/885-0561 · 800/327-7077 · FAX 305/887-2452


Aesthetic Drywall Reveals

Paintable · Non-Rusting · 10 ft (3 m) Lengths



The easy way to create attractive architectural details in Drywall Applications

- Multiple reveal dimensions with matching intersections deliver aesthetically pleasing results inside your building
- 10' (3 m) Lengths
- Meets ASTM standards D4216, D3678, C1047



Aesthetic Drywall Reveal with 1/2" deep Reveal

For 1/2" (13 mm) or 5/8" (16 mm) Drywall Applications

PRODUCT NUMBER	REVEAL WIDTH	ADDITIONAL PRODUCT DETAIL	PIECES /BOX
225	1/2" (13 mm)		30
226	1" (25 mm)	Reveal Depth	35
227	3/4" (19 mm)	1/2" (13 mm)	35
228	3/8" (10 mm)		30
229	5/8" (16 mm)		35
235	1-1/2" (38 mm)	Large & small holes on flange	30
236	2" (51 mm)	Large & small holes on flange	30
237	3" (76 mm)	Unpunched flange	20
239	4" (102 mm)	Unpunched flange	20

10' (3 m) Lengths

Extra Deep Drywall Reveal

For 1/2" (13 mm) or 5/8" (16 mm) Drywall Applications

PRODUCT NUMBER	REVEAL WIDTH	REVEAL DEPTH	PIECES /BOX
F222-50R	1/4" (6 mm)	1/2" (13 mm)	50

10' (3 m) Lengths



PLASTIC PC™
COMPONENTS inc.

Manufacturers of PVC Accessories for Stucco/Plaster, CI/EIFS, DEFS & Drywall



Aesthetic Drywall Reveal Intersections

Paintable · Non-Rusting



Matching Reveal Intersections... Make the job even better!

- Available in Cross, T, 90° Angle, an End Closure as well as Inside and Outside Corners
- Varying Reveal Widths - 1/2" Reveal Depth
- Saves time - Eliminates hand-built details




Aesthetic Drywall Reveal Intersections

PRODUCT NUMBER	REVEAL WIDTH	PRODUCT DETAIL Reveal Depth 1/2" (13 mm)	PIECES /BOX
228	3/8" (10 mm)	To order add product suffix: C = Cross T = T A = Angle EC = End Closure OC = Outside Corner IC = Inside Corner Examples: 225IC (Inside Corner), 225C (Cross), 225A (Angle), etc	25
225	1/2" (13 mm)		25
229	5/8" (16 mm)		25
227	3/4" (19 mm)		25
226	1" (25 mm)		25
235	1-1/2" (38 mm)		25
236	2" (51 mm)		25
237	3" (76 mm)		25
239	4" (102 mm)		25



Aesthetic Drywall Reveal and 90° Angle Reveal Intersection in staircase



9051 NW 97 Terrace · Miami, Florida 33178 · 305/885-0561 · 800/327-7077 · FAX 305/887-2452

www.plasticcomponents.com · orders@plasticcomponents.com

Corner Caps for Drywall

Better-looking, Non-Rusting Corners




Corner Caps


PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
2WIC	2 Way INSIDE Corner Cap For joining two bullnose corners at 90° angles	100
2Way45	2 Way SPLAYED INSIDE Corner Cap Splayed inside corner that forms a 135° corner	25
3WOC	3 Way OUTSIDE Corner Cap For joining three bullnose corners at 90° angles	100
3Way45	3 Way SPLAYED OUTSIDE Corner Cap Splayed outside corner that forms a 135° corner	25
3WIC	3 Way INSIDE Corner Cap For joining three bullnose corners at 90° angles	100

Bullnose Base Adapter


PRODUCT NUMBER	DESCRIPTION / DIMENSIONS	PIECES /BOX
BNBA-811	Easily transforms a bullnose corner bead into a 90° base molding – Trimmable to accommodate a narrower base molding	25




3WOC




3Way45




3WIC



2WIC



2Way45



PLASTIC PCTM
COMPONENTS inc.



Manufacturers of PVC Accessories for Stucco/Plaster, CI/EIFS, DEFS & Drywall

9051 NW 97 Terrace • Miami, Florida 33178

305/885-0561 • FAX 305/887-2452

800/327-7077

www.plasticcomponents.com • orders@plasticcomponents.com

DRY_0124
1M

©2024 Plastic Components, Inc.